

DERA/BOV ROG— CATTLE FEED
TYPE C Medicated Feed
(chlortetracycline and lasalocid Type C medicated feed)

Caution: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For increased rate of weight gain and for the treatment of bacterial enteritis caused by *E. coli* and bacterial pneumonia caused by *P. multocida* organisms susceptible to chlortetracycline in pasture cattle (slaughter, stocker, feeder cattle, dairy and beef replacement heifers).

ACTIVE DRUG INGREDIENTS*

Chlortetracycline^a500 to 4000 g/ton
Lasalocid^b (as lasalocid sodium).....30 to 600 g/ton

GUARANTEED ANALYSIS

Crude protein, not less than%
(This includes not more than _____% equivalent crude protein from non-protein nitrogen)¹
Crude fat, not less than.....%
Crude fiber, not more than.....%
Calcium, not less than%
Calcium, not more than.....%
Phosphorus, not less than.....%
Potassium, not less than.....%
Salt¹, not less than%
Salt¹, not more than.....%
Sodium², not less than%
Sodium², not more than%
Vitamin A¹, not less than IU/lb

¹If added

²Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

FEEDING DIRECTIONS

Feed continuously on a hand-fed basis for not more than 5 days to provide 10 mg chlortetracycline per lb. body weight per day and not less than 60 mg or more than 300 mg lasalocid per head per day in at least 1 pound of feed for pasture cattle (slaughter, stocker, feeder cattle, dairy and beef replacement heifers). Daily intakes of lasalocid in excess of 200 mg/head/day have not been shown to be more effective than 200 mg/head/day. The following table provides examples of feeding rates and amounts:

Body Wt. Lb.	Feed Consumption		Chlortetracycline		Lasalocid	
	% Body Wt.	lb/head/day	Amount mg/lb BW/day	Feeding Rate g/ton	Amount mg/head/day	Feeding Rate g/ton
200	2	4	10	1000	60	30
	2	4	10	1000	200	100
	3	6	10	667	90	30
	3	6	10	667	195	65
500	2	10	10	1000	150	30
	2	10	10	1000	200	40

Caution

Safety of lasalocid in unapproved species has not been established. Do not allow horses or other equines access to feeds containing lasalocid.

Warning: No withdrawal period is required. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

Lot Number (if applicable): _____

MANUFACTURED BY

Blue Bird Feed Company
Robin, Indiana 11111

NET WEIGHT ON BAG OR BULK

*Final printed label on formulated Type C medicated feed must bear a single concentration for each drug.

^aDeracin® is the proprietary name of chlortetracycline Type A medicated article (ANADA 200-510).

^bBOVATEC is the proprietary name of lasalocid sodium Type A medicated article (NADA 096-298).

Pharmgate LLC [March 2017]