Neomycin Sulfate and Oxytetracycline Sheep Supplement Type B Medicated Feed

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For use in manufacturing medicated sheep feed.

ACTIVE DRUG INGREDIENTS

GUARANTEED ANALYSIS

Crude Protein, (Min)XX.XX%
NPN, (Max) ¹ X.XX%
Crude Fat, (Min) X.XX%
Crude Fiber, (Max) X.XX%
Calcium, (Min) X.XX%
Calcium, (Max) X.XX%
Phosphorus, (Min) X.XX%
Salt, (Min) ¹ X.XX%
Salt, (Max) ¹ X.XX%
Sodium, (Min) ² X.XX%
Sodium, (Max) ² X.XX%
Copper, (Min) ³ ppm
Copper, (Max) ³ ppm
Selenium, (Min) ⁴ ppm
Vitamin A, (Min) ⁴ IU/LB

¹If added

²Should be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee
³If added, or if total copper exceeds 20 ppm
⁴Other than precursor of Vitamin A, if added

INGREDIENTS

Ingredients as defined by AAFCO.

MIXING DIRECTIONS

Mix this Type B medicated feed with non-medicated feed ingredients to prepare complete Type C medicated feed as described below.

Indications for Use	Oxytetracycline and Neomycin Sulfate Amount	Mixing Directions	
For treatment of bacterial enteritis caused by <i>Escherichia coli</i> and bacterial pneumonia caused by <i>Pasteurella multocida</i> susceptible to oxytetracycline; treatment and control of colibacillosis (bacterial enteritis) caused by <i>Escherichia coli</i> susceptible to neomycin.	10 mg/lb body weight/day	Mix 40 lb of this Type B medicated feed with 1960 lb of non-medicated feed to make one ton of Type C medicated feed containing 400 g/ton of neomycin and oxytetracycline*	
Residue Warning: Withdraw 5 days before slaughter.			

*A 60 lb animal consuming 3 lb of this Type C Feed will receive the required amount of oxytetracycline and neomycin sulfate.

Net Weight____lb. (____ _kg.)

Manufactured by Blue Bird Feed Company Blue Bird, MD 00000