

**DERA/BOV FE — CATTLE FEED**  
**TYPE C Medicated Feed**  
(chlortetracycline and lasalocid Type C medicated feed)

**Caution:** Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For improved feed efficiency and for the treatment of bacterial enteritis caused by *E. coli* and bacterial pneumonia caused by *P. multocida* organisms susceptible to chlortetracycline in cattle fed in confinement for slaughter.

**ACTIVE DRUG INGREDIENTS\***

Chlortetracycline <sup>a</sup> .....	.....	500 to 2000 g/ton
Lasalocid <sup>b</sup> (as lasalocid sodium).....	.....	10 to 30 g/ton

**GUARANTEED ANALYSIS**

Crude protein, not less than .....	.....	%
(This includes not more than _____ % equivalent crude protein from non-protein nitrogen) <sup>1</sup>	.....	
Crude fat, not less than .....	.....	%
Crude fiber, not more than .....	.....	%
Calcium, not less than .....	.....	%
Calcium, not more than.....	.....	%
Phosphorus, not less than.....	.....	%
Potassium, not less than.....	.....	%
Salt <sup>1</sup> , not less than .....	.....	%
Salt <sup>1</sup> , not more than.....	.....	%
Sodium <sup>2</sup> , not less than .....	.....	%
Sodium <sup>2</sup> , not more than .....	.....	%
Vitamin A <sup>1</sup> , not less than.....	.....	IU/lb

<sup>1</sup>If added

<sup>2</sup>Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

**INGREDIENTS**

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

**FEEDING DIRECTIONS**

Feed continuously in complete feed for not more than 5 days to provide 10 mg chlortetracycline per lb. body weight per day and not less than 100 mg nor more than 360 mg lasalocid per head per day. The following table provides examples of feeding rates and amounts:

Body Wt. Lb.	Feed Consumption		Chlortetracycline		Lasalocid	
	% Body Wt.	lb/head/day	Amount mg/lb BW/day	Feeding Rate g/ton	Amount mg/head/day	Feeding Rate g/ton
500	2	10	10	1000	100	20
	2	10	10	1000	150	30
	3	15	10	667	105	14
	3	15	10	667	225	30
1000	2	20	10	1000	100	10
	2	20	10	1000	300	30
	3	30	10	667	150	10
	3	30	10	667	360	24

**Caution**

Safety of lasalocid in unapproved species has not been established. Do not allow horses or other equines access to feeds containing lasalocid.

► **Warning:** No withdrawal period is required. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal. ◀

Lot Number (if applicable): \_\_\_\_\_

**MANUFACTURED BY**

Blue Bird Feed Company  
Robin, Indiana 11111

**NET WEIGHT ON BAG OR BULK**

\*Final printed label on formulated Type C medicated feed must bear a single concentration for each drug.

<sup>a</sup>Deracin® is the proprietary name of chlortetracycline Type A medicated article (ANADA 200-510).

<sup>b</sup>BOVATEC is the proprietary name of lasalocid sodium Type A medicated article (NADA 096-298).

Pharmgate LLC [March 2017]