

**BLUE BIRD LABELING**  
**chlortetracycline hydrochloride**  
**Type B Medicated Chicken Feed – CRD**

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For control of chronic respiratory disease (CRD) and air sac infection caused by *Mycoplasma gallisepticum* and *Escherichia coli* susceptible to chlortetracycline in chickens.

**Active Drug Ingredient**

Chlortetracycline\* ..... 401 – 80,000 g/ton\*\*

**Guaranteed Analysis**

Crude Protein (Min) ..... %  
 Lysine (Min) ..... %  
 Methionine (Min) ..... %  
 Crude Fat (Min) ..... %  
 Crude Fiber (Max) ..... %  
 Calcium (Min) ..... %  
 Calcium (Max) ..... %  
 Phosphorus (Min) ..... %  
 Salt<sup>a</sup> (Min) ..... %  
 Salt<sup>a</sup> (Max) ..... %  
 Sodium<sup>b</sup> (Min) ..... %  
 Sodium<sup>b</sup> (Max) ..... %

<sup>a</sup> Guarantee required only when nutrient added except when the feed is intended, represented or serves as a principal source of the nutrient.

<sup>b</sup> Sodium guarantee required only when total sodium exceeds that furnished by the maximum salt guarantee.

**Ingredients**

Ingredients as defined by AAFCO.

**Mixing Directions**

Thoroughly mix this Type B medicated feed with non-medicated feed ingredients to manufacture one ton of Type C medicated feed for chickens containing 200 – 400 grams chlortetracycline per ton.

The following table provides examples of mixing rates:

Type B CTC concentration (g/ton)	Type B per ton of Type C (lb)	Non-medicated feed per ton of Type C (lb)	Type C CTC concentration (g/ton)
10,000 (5 g/lb)	40	1960	200
10,000 (5 g/lb)	80	1920	400
40,000 (20 g/lb)	10	1990	200
40,000 (20 g/lb)	20	1980	400
80,000 (40 g/lb)	10	1990	400

The resulting Type C medicated feed should be fed continuously as the sole ration for 7 to 14 days.

**Manufactured By:**  
 Blue Bird Feed Mill  
 City, State, Zip

**NET WEIGHT ON BAG OR BULK**

\*Deracin is the trade name of chlortetracycline formulation (Type A Medicated Article).

\*\*The final printed feed label should list only a single drug concentration.