

BLUE BIRD LABELING

bacitracin methylenedisalicylate

Type C medicated feed for beef steers & heifers fed in confinement for slaughter – Liver Abscess 70
(bacitracin Type C medicated feed)

For reduction in the number of liver condemnations due to abscesses in beef steers and heifers fed in confinement for slaughter.

Active Drug Ingredient

Bacitracin (as feed grade bacitracin methylenedisalicylate)* g/ton**

Guaranteed Analysis

Crude Protein (Min) %
NPN^a (Max) %
Crude Fat (Min) %
Crude Fiber (Max) %
Calcium^a (Min) %
Calcium^a (Max) %
Phosphorus^a (Min) %
Salt^a (Min) %
Salt^a (Max) %
Sodium^b (Min) %
Sodium^b (Max) %
Potassium^a (Min) %
Vitamin A^a IU/lb

^a Guarantee required only when nutrient added except when the feed is intended, represented or serves as a principal source of the nutrient.

^b Sodium guarantee required only when total sodium exceeds that furnished by the maximum salt guarantee.

Ingredients

Feed ingredients, as defined by AAFCO, must be listed on the final printed Type C medicated feed label by their common or usual names in descending order or predominance by weight.

Feeding Directions

Administer continuously throughout the feeding period to provide 70 mg bacitracin per head per day. ***
pounds of this cattle feed will medicate one animal.

Manufactured By:

Blue Bird Feed Mill
City, State, Zip

Lot # _____

NET WEIGHT ON BAG OR BULK

*Pennitracin MD is the proprietary name of bacitracin methylenedisalicylate formulation (Type A Medicated Article).

**Label must show actual concentration of bacitracin, which will vary with consumption to provide 70 mg/head/day.

***The following table provides examples of feeding rates and amount of drug per ton of feed. Third column represents number of pounds of feed that will medicate one animal.

Drug level in feed (g/ton)	mg bacitracin/head/day	*** Pounds of feed/head/day
5	70	28
7	70	10
10	70	14
20	70	7