# DERA350 ANA/BOV COCCI - CATTLE FEED

### Type B Medicated Feed

(chlortetracycline and lasalocid Type B medicated feed)

Caution: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For the control of coccidiosis caused by Eimeria bovis and Eimeria zuernii and for control of active infection of anaplasmosis caused by Anaplasma marginale susceptible to chlortetracycline in beef cattle under 700 pounds.

ACTIVE DRUG INGREDIENTS\* **GUARANTEED ANALYSIS** Crude protein, not less than ..... (This includes not more than \_\_\_\_\_\_% equivalent crude protein from non-protein nitrogen) Crude fat, not less than.... Crude fiber, not more than Calcium, not less than ..... Calcium, not more than..... Phosphorus, not less than.... Potassium, not less than Salt<sub>1</sub>, not less than ..... % Salt<sup>1</sup>, not more than.... % IU/lb Vitamin A<sup>1</sup>, not less than..... <sup>2</sup>Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

#### INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

#### MIXING DIRECTIONS

Mix the Type B medicated feed with non-medicated ingredients to manufacture one ton of complete cattle feed containing 25 to 2800 grams chlortetracycline per ton and 30 to 181.8 grams lasalocid per ton. The following rovides examples of mixing rates and amounts:

Type B Concentration, g/ton		Type B per ton of Type C lbs	Lbs Non- medicated feed per ton of Type C feed	Type C Concentration, g/ton	
				CTC	Lasalocid
CTC	Lasalocid		1000	700	181.8
11666.67	3030	120	1880	350	90.9
11666.67	3030	60	1940	175	45.5
11666.67	3030	30	1970	116.7	30.3
11666.67	3030	20	1980	700	181.8
7000	1818	200	1800		90.9
7000	1818	100	1900	350	45.5
	1818	50	1950	175	30.3
7000 7000	1818	33.3	1966.7	116.7	

#### Caution

Safety of lasalocid in unapproved species has not been established. Feeding undiluted or mixing errors may result in an excess lasalocid concentration which could be fatal to cattle. Do not allow horses or other equines access to Type B feeds containing lasalocid as ingestion may be fatal.



Warning: No withdrawal period is required. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.



Lot Number (if applicable):	
-----------------------------	--

### MANUFACTURED BY

Blue Bird Feed Company Robin, Indiana 11111

## NET WEIGHT ON BAG OR BULK

\*Final printed label on formulated Type B Medicated Feed must bear a single concentration for each drug.

<sup>a</sup>Deracin® is the proprietary name of chlortetracycline Type A medicated article (ANADA 200-510). <sup>b</sup>BOVATEC is the proprietary name of lasalocid sodium Type A medicated article (NADA 096-298).

Pharmgate LLC [March 2017]