

TURKEYS – INFECTIOUS SYNOVITIS (oxytetracycline Type C medicated feed)

Caution: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

Indications for Use: Control of infectious synovitis caused by *Mycoplasma synoviae* susceptible to oxytetracycline in turkeys.

ACTIVE DRUG INGREDIENT

Oxytetracycline (from oxytetracycline dihydrate base) equivalent to oxytetracycline hydrochloride^a.....200 g/ton

GUARANTEED ANALYSIS

Crude Protein (Min)	_____ %
Lysine (Min).....	_____ %
Methionine (Min)	_____ %
Crude Fat (Min).....	_____ %
Crude Fiber (Max).....	_____ %
Calcium (Min)	_____ %
Calcium (Max)	_____ %
Phosphorus (Min).....	_____ %
Salt ¹ (Min).....	_____ %
Salt ¹ (Max)	_____ %
Sodium ² (Min).....	_____ %
Sodium ² (Max)	_____ %

¹ Guarantee required only when nutrient added except when the feed is intended, represented or serves as a principal source of the nutrient.

² Sodium guarantee required only when total sodium exceeds that furnished by the maximum salt guarantee

INGREDIENTS

Ingredients as defined by AAFCO

FEEDING DIRECTIONS

Feed continuously for 7-14 days as the sole ration.



Withdrawal Periods and Residue Warnings: Do not feed to turkeys producing eggs for human consumption. Zero-day withdrawal period.



Net Weight _____ lb (_____ kg)

Approved by FDA under NADA # 138-938
Manufactured by
Blue Bird Feed Company
Blue Bird, MD 00000

Lot number (if applicable) _____

^a Pennox[®] is the proprietary name of oxytetracycline Type A medicated article (NADA # 138-938).

Pharmgate Inc. [June 24, 2022]